
# Technic data sheet | Epoxy Silanes



## CG-O186 2-(3,4-epoxycyclohexyl)ethyltrimethoxysilane

#### **Chemical Structure:**



#### The Equivalent Products to other Manufacturers:

GE	Dowcorning	ShinEtsu	Degussa	Chisso
A-186	Z-6043	KBM-303	N,A	S530

#### **Typical Physical Properties**

Product No.: CG-O186

Chemical Name: 2-(3,4-epoxycyclohexyl)ethyltrimethoxysilane

CAS No.: 3388-04-3

EINECSNo.: N.A

Formula:  $C_{11}H_{22}O_4Si$ 

Appearance: Colorless transparent liquid

Density(  $\rho$  20, g/cm3): 1.0650  $\pm$  0.0050

Refractive Index(n25D):  $1.4510 \pm 0.0050$ 

Purity 99%

### Applications:

CG-O186 is an essential ingredient in the products of many industries.

Examples are:

Glass fiber/glass fabric composites: As a finish or a size ingredient

Foundry resins: As an additive to polyurethane resins

Sealants and adhesives: As a primer or additive

Mineral filled composites: For pretreatment of fillers and pigments or as an additive to the polymer

Paints and coatings: As an additive and as a primer for improving adhesion to the substrate

Improved shelf life over aminosilanes in polyurethanes

Improved mechanical properties, such as flexural strength, tensile strength, impact strength and modulus of elasticity

Improved moisture and corrosion resistance

Improved electrical properties, for example dielectric constant, volume resistivity.

Packing:

210LIron Drum: 200kg/drum

1000L IBCContainer: 1000kg/container

Xizou Economic Development Zone Industrial Park, Qufu, Shandong, China

Tel: 86-537-4631088 Fax: 86-537-4631369 www.silanechem.com sales@silanechem.com





